

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	((creat\$4 form\$3 formation generat \$4) with (filter) with (document content)) and (filter with profile) and ((score threshold bar) with filter) and ((filter profile) with vector with (term word feature))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:11
L2	3	((creat\$4 form\$3 formation generat \$4) with (filter) with (document content)) and (filter with profile) and ((score threshold bar metric) with filter) and ((filter profile) with vector with (term word feature))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:12
L3	1952	(profile with filter \$3) and ((filter cluster profile) with (score threshold bar))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:13
L4	491	(profile with filter \$3) and ((filter cluster profile) with (score threshold bar)) and ((train\$3 reference example) with (corpus document content repository database))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:14

L5	23	707/5.ccls. and (profile with filter \$3) and ((filter cluster profile) with (score threshold bar)) and ((train\$3 reference example) with (corpus document content repository database))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:14
L6	0	707/5.ccls. and (profile with filter \$3) and ((filter cluster profile) with (score threshold bar)) and ((train\$3 reference example) with (corpus document content repository database)) and (ensemble with filter\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:15
L7	33	707/3.ccls. and (profile with filter \$3) and ((filter cluster profile) with (score threshold bar)) and ((train\$3 reference example) with (corpus document content repository database))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:17
L8	11	707/6.ccls. and (profile with filter \$3) and ((filter cluster profile) with (score threshold bar)) and ((train\$3 reference example) with (corpus document content repository database))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:17

L9	52	L8 or L7 or L5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:17
L10	3	707/6.cds. and (profile with filter \$3) and ((filter cluster profile) with (score threshold bar)) and ((train\$3 example) with (corpus document content repository database))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:18
L11	13	707/3.cds. and (profile with filter \$3) and ((filter cluster profile) with (score threshold bar)) and ((train\$3 example) with (corpus document content repository database))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:18
L12	91	(profile with filter \$3) and ((filter cluster profile) with (score threshold bar)) and ((train\$3 example) with (corpus document content repository database)) and ((subset portion group) with (corpus document content repository database))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:19
L13	1	(profile with train \$3 with document).clm. and (sub\$1filter with profile).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:20

S1	27939	((ensemble multiplex\$3) with filter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 19:15
S2	531	((ensemble) with filter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 19:15
S3	27	((ensemble) adj filter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 19:16
S4	8428	((creat\$4 form\$3 formation generat \$4) with (filter) with (document content))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 19:24
S5	280	((creat\$4 form\$3 formation generat \$4) with (filter) with (document content)) and (filter with profile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 19:26
S6	17	((creat\$4 form\$3 formation generat \$4) with (filter) with (document content)) and (filter with profile) and ((score threshold) with similarity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 19:27
S7	8	((creat\$4 form\$3 formation generat \$4) with (filter) with (document content)) and (filter with profile) and ((score threshold bar) with similarity with filter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 19:27

S8	26	"6308175"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 11:12
S9	21	("6308175"). URPN.	USPAT	OR	OFF	2008/04/23 11:17
S11	16	("6308175"). URPN. and filter\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 11:18
S12	16	("6308175"). URPN. and filter\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 11:19
S13	12	("6308175"). URPN. and (filter \$3 with (result document content))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 11:19
S14	12	("6308175"). URPN. and (filter \$3 with (result document content)) and (score bar threshold similarity metric)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 11:20
S15	431	(content adj2 filter \$3) and (train\$3 with (content data corpus document))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 11:27
S16	1	(content adj2 filter \$3) and (train\$3 with (content data corpus document)) and (ensemble with filter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 11:28

S17	5	(content adj2 filter \$3) and (ensemble with filter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 11:29
S19	0	(compar\$4 with (document adj vector) with (profile adj vector))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 11:34
S20	2	(compar\$4 with (document adj vector) with ((profile cluster group category) adj vector))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 11:35
S21	112	((combin\$3 combination merg \$3) with profile with (creat\$4 form \$3 formation generat\$4) with filter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 12:04
S22	15	((combin\$3 combination merg \$3) with profile with (creat\$4 form \$3 formation generat\$4) with filter) and ((ensemble multiplex\$3) with (filter profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 12:05
S23	9	(user with profile with ((term feature) adj vector) with (score adj threshold))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 12:10
S24	9	(user with profile with ((term feature) adj vector) with (score adj threshold)) and (filter\$3 ensemble profil\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 12:15

S25	8	("6430559"). URPN.	USPAT	OR	OFF	2008/04/23 12:21
S26	11	(profile adj2 filter \$3) and (ensemble with filter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 13:38
S27	2587	(profile adj2 filter \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 13:38
S28	10	"6430559" and (subset)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 13:51
S29	5	"6430559" and (sub\$1set)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 13:51
S30	10	"6430559" and (subset sub\$1set)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 13:52
S31	0	"6430559" and ((subset sub \$1set) with (example))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 13:52
S32	4	"6430559" and ((subset sub \$1set) with (scor \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 13:53
S33	5	"6430559" and ((subset sub \$1set) with (scor \$3 threshold))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 13:53

S34	494180	((example train\$3 reference) with (corpus document content data \$1base repository))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 13:55
S35	56694	((example train\$3 reference) with (corpus document content data \$1base repository)) and ((partition\$3 subset portion) with (corpus document content data\$1base repository))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 14:00
S36	48	((example train\$3 reference) with (corpus document content data \$1base repository)) and ((partition\$3 subset portion group\$3) with (corpus document content data \$1base repository)) and ((vector\$6 feature term) with first with (subset group portion partition)) and ((threshold) with second with (subset group portion partition))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 14:02

S37	3	((example train\$3 reference) with (corpus document content data \$1base repository)) and ((partition\$3 subset portion group\$3) with (corpus document content data \$1base repository)) and ((vector\$6 feature term) with first with (subset group portion partition)) and ((threshold) with second with (subset group portion partition)) and ((profile content) with filter \$3) and profile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 14:03
-----	---	---	--	----	----	------------------

4/23/2008 6:22:14 PM

C:\Documents and Settings\klove\My Documents\EAST\Workspaces\10713592
\10713592_4.wsp